PT. KUAT BERKAT BERSATU

ONE STOP PRODUCT

www.kuatberkat.com

STORAGE SOLUTION

TYPES OF RACKING:

Selective Pallet Racking (SPR)



Double Deep Racking

Drive In Racking

Shuttle System Racking

Shuttle Carrier System Racking



VNA Racking

ASRS



Multitier Racking

Medium Duty Racking

Gravity Roller Racking

Mezzanine



Cantilever Racking

PALLET PLASTIC:





FOLDABLE PALLET PLASTIC:

** Available 2 Sizes:

1. 1200*1000*1000
2. 1200*1000*800

SPILL DECK PALLET:



**Available 2 Sizes:

1. 4 Drum Capacity
2. 2 Drum Capacity

Ex/: Penyimpanan Liquid Leak Proof.

SLIP SHEET & DUNNAGE BAG:



STORAGE BOX:



**Available in many sizes and Stackable Boxes

STRAPPING BAND:

Steel Strapping Band

Strapping Band PET

Clamp Strapping

NAIL COIL:

Screw Nail Coil



Smooth Nail Coil

Nail Gun

MATERIAL HANDLING

Bestmax INDEVA

HAND PALLET:

Hand Pallet

Hand Pallet Electric

Hand Pallet with Scale

Scissor Hand Pallet

PALLET MOVER:

HANDLING FOR DRUM:

STACKER:

Manual Stacker

Electric Stacker

Roller Type

WORK PLATFORM:

Single Coloumn

Double Coloumn

Order Picker

SCISSOR LIFT:

INDUSTRIAL MANIPULATOR:

AUTOMATIC PACKAGING

GURKI ISG>PACK APOLLO

CARTON SEALER & WRAPPING MACHINE:

Case Errector Bottom Sealer

Carton Sealer

Portable Strapping Machine

Wrapping Machine

Strapping Machine

MECHANICAL & ELECTRICAL TOOLS: EGA Master ART IN INNOVATION

Plier

Plier Insulated 1000V

Screw Driver + / -

Locking Plier

Tracker 3 jaws & 2 jaws

Ring Wrench

Allen Key

Cable Stripper Plier

Rachet

Tools Box & Drawer

WAREHOUSE SOLUTION

APOLLO

HIGH SPEED DOOR:

ALUMINIUM ALLOY HIGH SPEED DOOR:

HYDRAULIC LOADING DOCK:

DOCK SHELTER:

SAFETY BARRIER:



CLEANING SOLUTIONS

IPC

HIGH PRESSURE WASHER:

High Pressure Washer
(Cold Water)

High Pressure Washer
(Hot Water - Boiler)

High Pressure Washer
(Hot Water - Electric)

POLISHER & SCRUBBER DRYER:

Polisher

Scrubber Dryer
(Walk Behind)

Scrubber
(Ride On)

SWEEPER:

Swipper
(Manual /Battery)

Swipper Ride On
(Battery)

Swipper Ride On
(Petrol)

CLEANING SOLUTIONS

DRY VACUUM:

Backpack Vacuum

Mobile Vacuum

with Hepa Filter

WET & DRY VACUUM:

Sky Vacuum

Stainless Steel Body

Plastic Body

DEDUSTING VACUUM:

Fix Dedusting

Fix Dedusting SS Body

System Dedusting

INDUSTRIAL VACUUM:

Single Phase

3 Phase

ATEX Vacuum

SS Body

STEAM GENERATOR:

Steam Electric

Diesel Steam

SS Body

Accesories

INDUSTRIAL WIPES & ABSORBENT:

Industrial Wipes

Oil & Chemical Absorb

Oil & Chemical Absorb

TESTING EQUIPMENT

UNIVERSAL TESTING MACHINE:

Single Coloumn

Double Coloumn

DROP TESTER:

BOX COMPRESSION TESTER (BCT):

BUSRHTING TESTING:

SCREW CAP TESTING:

SALT SPRAY:

TEMPERATURE TEST SERIES:

Drying Oven

Temperature & Humidity Chamber

Thermal Shock Chamber

Weathering Test Chamber

OTHERS:



Leak and Seal Test

Colour Test

Push Pull



Analytical Balance

Hardness Tester

Melt Index Tester

Microscope Measurment

Martindale Abrasion Tester

Profile Projector

MEASURING EQUIPMENT

BOSCH

Thermal

GTC 400 C
0601083150

Aplikasi pengukur	Citra termal
Jangkauan pengukuran	-10 °C hingga +400 °C
Akurasi pengukuran IR	± 3,0 °C*
Sensitivitas termal (NETD)	<=50 mK
Jarak fokus, minimal	0 – 3m
Transfer data	Wi-Fi, USB-C®

GTC 600 C
0601083480

Aplikasi pengukur	Citra termal
Jangkauan pengukuran	-20°C hingga +600°C
Akurasi pengukuran IR	± 2,0 °C*
Sensitivitas termal (NETD)	<=50 mK
Jarak fokus, minimal	0 – 3m
Transfer data	Wi-Fi, USB-C®

GTC 450-13

Kamera termal ringkas untuk visualisasi perbedaan suhu yang cepat dan mudah

Die wichtigsten Daten

Jangkauan pengukuran	-20°C hingga +450°C
Akurasi pengukuran IR	± 2 °C (titik pusat)
Resolusi	0,1 °C

GIS 500
0601083480

Aplikasi pengukur	Pengukuran suhu spot
Jangkauan pengukuran	Suhu permukaan, -30°C hingga +500°C
Akurasi pengukuran IR	± 1,8 °C*
Dioda laser	Kelas laser 2, 635 nm
Optik	12:1
Transfer data	-

Application :



Inspection Camera

GIC 5-27 C
06012414K0

Ukuran tampilan	5 " (1280 x 720 px)
Medan pandang (FOV)	75 °
Jarak fokus	30 - 80 mm
Dokumentasi via	Foto, Video (1280 x 720)
Transfer Data	USB-C®, Kartu Micro-SD

GIC 4-23 C
06012415K0

Ukuran tampilan	4,3 " (800 x 480 px)
Medan pandang (FOV)	75 °
Jarak fokus	30 - 80 mm
Dokumentasi via	Foto (1280 x 720)
Transfer Data	USB-C®

Application :



Line Laser

GLL 50-15 XG KIT
06010657K1

Dioda laser	Jalur: 500 – 540 nm, < 10 mW, Titik: 630 – 650, < 1 mW
Warna laser	Hijau
Waktu peratan	4d
Rentang penetapan level mandiri	± 3°
Rentang kerja dengan penerima, nilai	Jarak Kerja 15m (50m dengan LR6)
Akurasi	Garis laser horizontal: ±0,2 mm/m*; Garis laser vertikal: ±0,3 mm/m* (*plus gunakan deviasi dependen)

GLL 18V-3-120 CG
06010651K0

Dioda laser	500 – 540 nm, < 10 mW
Warna laser	Hijau
Waktu peratan	4d
Proyeksi	Jalur 3 x 360°
Rentang kerja dengan penerima, nilai	Jarak Kerja 35m (120m dengan LR 7)
Akurasi	± 0,3 mm/m*

GLL 90-33 XG

Die wichtigsten Daten

Rentang kerja, nilai	30 m
Akurasi	± 0,3 mm/m
Rentang penetapan level mandiri	± 4°

Laser Distance

GLM 50-23 G
0601072VK0

Dioda laser	515 nm, < 1 mW
Warna laser	Hijau
Satuan pengukuran	m/cm, ft/inch
Jangkauan pengukuran	0,05 – 50,00 m
Rentang pengukuran, hingga	50 m
Akurasi pengukuran, biasa	± 1,5 mm[4]

GLM 150 C
0601072FK0

Dioda laser	650 nm, < 1 mW
Warna laser	Merah
Satuan pengukuran	m/cm, ft/inch
Jangkauan pengukuran	0,08 – 150,00 m
Rentang pengukuran, hingga	150 m
Akurasi pengukuran, biasa	± 1,5 mm[4]

Wall Detector

D-TECT 120
06010813K0

Kedalaman deteksi maks.	120 mm
Objek yang dapat dideteksi	Pipa plastik berisi air,kabel listrik, besi, besi non-magnet, struktur kayu
Kedalaman pendeteksian, logam magnetik, maks.	120 mm
Kedalaman pendeteksian, logam nonmagnetik, maks.	120 mm
Kedalaman pendeteksian, kabel yang dialiri listrik, maks.	60 mm
Kedalaman pendeteksian, substruktur kayu, maks.	38 mm

Electrical Tester

GDV 1000-17

BLOWER & DUCTING

Wall Fan

Exhaust Fan

Turbin Ventilator

Portable Ventilator

Flexible Ducting

Standing Fan

Misty Fan

Portable Dust Clector

Axial Direct Galvanis

OUR CONTACT:

0859-2073-1903
0877-8014-0868

admin@kuatberkat.com

OFFICE :

Jl. Pulau Putri Raya,
Tangerang 15117

FACTORY:

Pergudangan Aeropolis
Techno Park, Block
ASW.E65, Tangerang,
Banten 15129